


#10
YC
102402**Certificate of Facsimile Transmission**

I hereby certify that the attached Response to Restriction Requirement to Examiner Celsa is being facsimile transmitted to the Patent and Trademark Office (Phone No. (703)872-9306) on the date shown below. (Total pages transmitted is 1 -including this one).



Jerome S. Marger
Reg. No. 26,480

Date: 17 October 2002

OFFICIAL

PATENT APPLICATION
Attorney's Do. No. 4430-57

FAX RECEIVED

OCT 18 2002

GROUP 1600

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: Yasmin Wadia, and Scott Alan Prahl

Serial No.: 09/686,594

Group Art Unit: 1627

Filed: October 6, 2000

Examiner Bennett M. Celsa

For: **BIOCOMPATIBLE DENATURED ALBUMIN LAMINA AND METHOD**

Confirmation No. 3773

Box Non Fee Amendment
Assistant Commissioner for Patents
Washington, D.C. 20231

RESPONSE TO RESTRICTION REQUIREMENT

Responsive to the restriction requirement set forth in the Office Action, Paper No. 9, dated September 17, 2002, Applicant elects Group IV, claims 14-20, drawn to a method of repairing a lesion, with traverse.




20575

PATENT TRADEMARK OFFICE

Respectfully submitted,

MARGER JOHNSON & McCOLLOM, P.C.

By



Jerome S. Marger
Reg. No. 26,480

1030 S.W. Morrison Street
Portland, Oregon 97205
Telephone: (503) 222-3613

cc: Claudia Haywood
Scott Prahl